



ASX/Media Release

16 August 2011

BrightStar Resources Ltd

ABN 86 121 985 395

1/1 Nairn Street
Fremantle WA 6160
T. (+ 61) 8 9430 9966
F. (+61) 8 9430 9965

Board of Directors:

Warren Gilmour
Executive Chairman
warren@brightstarresources.com.au

Geoff Gilmour
Managing Director
geoff@brightstarresources.com.au

Paul Payne
Technical Director
paul@brightstarresources.com.au

Graeme Clatworthy
Non-executive Director

Barry Bolitho
Non-executive Director

BrightStar Resources Limited
ASX code "BUT"

Gold Mineralisation Extended at 520,000oz Miyabi Gold Project, Tanzania

- First pass shallow RAB drilling at IP70 Prospect defines shear zone hosted gold mineralisation in multiple structures;
- Better results include:
 - MBRB503 9m at 1.82g/t Au from 21m*
 - MBRB534 6m at 1.14g/t Au from 18m
 - MBRB535 15m at 0.21g/t Au from 12m*
 - MBRB561 15m at 0.27g/t Au from 12m
 - MBRB579 7m at 0.27g/t Au from 9m*

(* hole ended in mineralisation)

- Mineralisation is open to the east and west where drilling has been completed but results have not been received;
- All intersections are in oxidized rock with likely gold depletion;
- The 11,000m program is now complete. Approximately 400 holes have been completed with a typical depth of 27m;
- Results have been received for around 40% of holes drilled;
- These results confirm the potential of the granite/greenstone contact to host additional gold Mineral Resources;
- Follow-up RC drilling is being planned with a rig booked for September.

BrightStar Resources Limited ("BrightStar" or "Company") is pleased to announce results from its first pass exploration drilling at the 520,000oz Miyabi Gold Project.

BrightStar Technical Director Mr Paul Payne said "We are pleased by these results which confirm bedrock gold mineralisation in multiple zones which warrant immediate RC follow-up. They demonstrate the potential for the delineation of Mineral Resources at IP70 and elsewhere on the granite/greenstone contact."

The RAB drilling has outlined mineralized shear zones at the granite contact and in splays off the contact. The northern shear is 20-40m wide at the western end of the prospect and up to 150m wide at the eastern end. The southern shear is 20m to 50m wide. The interpreted structures and drilling are shown in Figure 1 and Figure 2.

The drilling is generally less than 30m in depth, and rarely penetrates to fresh rock. The typical geological sequence intersected is a thin veneer of soil overlying a generally barren ferricrete and laterite profile up to 10m thick. Gold mineralisation appears to be associated with pyrite-silica alteration in sheared mafic volcanic rocks with depletion and dispersion of gold evident in the oxide zone. Higher grades are expected below the depleted oxide zone as seen elsewhere at the project.

Miyabi Exploration Program Overview

The BrightStar exploration program at Miyabi was designed to test much of the 5km long granite/greenstone contact zone at the northwest margin of the greenstone belt. The contact zone hosts two resources (Faida 200,000oz and Shule 25,000oz) but was previously untested along much of its extent. Coincident chargeability and magnetic anomalies occur along the contact and suggest that sulphide bodies may be present beneath gold anomalies defined by soil geochemistry.

The program consisted of shallow (generally <30m deep) RAB holes at 30m spacings along 200m spaced cross sections. All contact zone holes have now been completed and the geological logging confirms the presence of multiple mineralized shear zones. The northern (contact) shear zone ranges from 20m-40m wide at the western end and up to 150m in width in the central area. In addition, a southern mineralized shear zone has also been defined with a typical width of 20-50m. Gold mineralisation appears to develop in discrete parts of the broader shear zones. The drilling and interpreted structures are shown in Figure 1 and Figure 2. Portions of the cross sections are shown in Figure 3 and Figure 4.

In addition to the contact zone drilling, further RAB drilling has been completed to test structural targets within the Miyabi Structural Corridor which hosts the 520,000oz Mineral Resource at the project. Drilling has recently been completed in this area and no results have been received.

Drilling was carried out by Layne Drilling of Mwanza and sample preparation is being completed by ALS Global in Mwanza. Sample pulps are being air freighted to OMAC Laboratories in Ireland for 50g aqua regia analysis for gold.

All intersections >0.1g/t Au are listed in Table 1. The timeframe from completing holes to receiving assays is currently around 4 to 6 weeks and all remaining results are expected by mid-September.

The Shule prospect and Northern Zone resource lies 800m southwest of the IP70 prospect. The easternmost section of RC drilling (completed in 2005) intersected a zone of gold mineralisation 40-60m wide. Higher grade intersections within the Shule Prospect from the 2005 drilling include 9m at 0.84g/t Au from 40m and 15m at 0.76gt Au from 109m. Importantly, the historic RAB drilling in the oxide zone in the outcrop area of the Shule mineralisation returned weak, erratic gold values, indicating substantial depletion of gold in the weathered rock. The recent BrightStar RAB drilling results at IP70 are of much higher tenor and consistency. RC drilling is planned to test the mineralized shears at depth.




Figure 1 Miyabi Deposits and Drilling




Figure 2: IP70 Prospect with 2011 Drilling Results




Figure 3 Cross Section 6000E at IP70 Prospect




Figure 4 Cross Section 6200E at IP70 Prospect

Table 1: List of All Intersections > 0.1g/t Au

Collar Location and Orientation (local grid)								Intersection > 0.1ppm Au			
Hole	Type	X	Y	Z	Total Depth	Dip	Azimuth	From (m)	To (m)	Length (m)	Au (ppm)
MBRB478	RAB	5,600	20,176	1,201	33	-60	0	6	9	3	0.25
MBRB479	RAB	5,600	20,206	1,200	30	-60	0	18	21	3	0.11
							and	27	30 (eoh)	3	0.22
MBRB486	RAB	5,599	20,415	1,200	23	-60	0	21	23 (eoh)	2	0.27
MBRB489	RAB	5,600	20,506	1,204	25	-60	0	0	3	3	0.21
MBRB491	RAB	5,999	20,317	1,200	33	-60	0	15	18	3	0.14
MBRB503	RAB	6,000	20,663	1,198	30	-60	0	21	30 (eoh)	9	1.82
MBRB510	RAB	6,000	20,865	1,200	27	-60	0	6	9	3	0.30
MBRB513	RAB	5,998	20,949	1,195	25	-60	0	9	12	3	0.34
MBRB519	RAB	6,200	20,463	1,196	33	-60	0	18	21	3	0.23
MBRB524	RAB	6,202	20,610	1,197	27	-60	0	3	9	6	0.13
MBRB526	RAB	6,202	20,667	1,196	24	-60	0	6	18	12	0.32
MBRB534	RAB	6,200	20,895	1,195	30	-60	0	18	24	6	1.14
							including	21	24	3	2.11
MBRB535	RAB	6,200	20,926	1194	27	-60	0	12	27 (eoh)	15	0.21
MBRB558	RAB	6,400	20,989	1190	29	-60	0	18	29 (eoh)	11	0.16
MBRB561	RAB	6,600	20,408	1186	30	-60	0	12	27	15	0.27
MBRB579	RAB	6,601	20,923	1187	16	-60	0	9	16 (eoh)	7	0.27
MBRB593	RAB	6,802	20,790	1179	27	-60	0	21	24	3	0.10
MBAC176	AC	7,001	20,682	1176	33	-60	0	27	30	3	0.15

(eoh) indicates that the hole ended in mineralisation

- All samples analysed in 3m composites
- Sampling carried out using a cyclone and riffle splitter at 1m intervals
- Sample preparation at ALS Global in Mwanza, Tanzania
- Gold analysis using 50g aqua regia carried out by OMAC Laboratories in Ireland
- QAQC samples submitted routinely with excellent results
- Holes located by GPS then transformed to local grid coordinates
- Intersections are generally interpreted to represent true width. Where holes ended in mineralisation, true thickness may be greater than the intersection thickness.

Miyabi Joint Venture

The Miyabi project is a Joint Venture with UK based African Eagle Resources plc (“African Eagle”) where BrightStar may earn 75% of the Miyabi Project in Tanzania.

The Miyabi Project is located in the Lake Victoria Gold Field of Tanzania, some 150km southwest of BrightStar’s 100% owned Kitongo Gold Project.

Mineral Resources

A summary of the SRK Mineral Resource estimate at a 0.5g/t Au cut-off is shown below.

Miyabi Mineral Resource Estimate 0.5g/t Au Cut-off (SRK Estimate 2006)

Deposit	Indicated			Inferred			Total Resource		
	Mt	g/t	Moz	Mt	g/t	Moz	Mt	g/t	Moz
Faida	3.5	1.5	0.17	1.0	0.9	0.03	4.4	1.4	0.20
Ngaya	0.2	1.0	0.01	1.5	1.1	0.05	1.7	1.1	0.06
Shambani	1.6	1.5	0.07	0.8	1.1	0.03	2.4	1.3	0.10
Kilimani	2.6	1.4	0.12	0.3	1.6	0.01	2.9	1.4	0.13
Northern Zone				1.0	0.8	0.02	1.0	0.8	0.02
Total	7.9	1.5	0.37	4.5	1.0	0.15	12.4	1.3	0.52

*Rounding errors may occur

For further information, please contact:

Geoffrey Gilmour
Managing Director
BrightStar Resources
+61 8 9430 9966
geoff@brightstarresources.com.au

Paul Payne
Technical Director
BrightStar Resources
+61 8 9430 9966
paul@brightstarresources.com.au

Competent Person Statement

The information in this report that relates to Mineral Resources and exploration results is based on information compiled by Mr Paul Payne, a director and full time employee of BrightStar and a Member of The Australasian Institute of Mining and Metallurgy. Mr Payne has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Mr Payne consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.